

10006771-3

RECEIVED
CENTRAL FAX CENTER

MAR 06 2008

10/618.171

IN THE CLAIMS:

The status and content of each claim follows. No amendments are proposed by the present paper.

- 1-11. (cancelled)
12. (previously presented) A flex-based fuel cell, comprising:
a first flexible circuit; comprising:
a first flexible substrate, and
a porous layer, wherein the porous layer comprises a plurality of pores oriented to distribute fuel to a catalyst using a capillary action; and
a second flexible circuit adjacent the first flexible substrate circuit, wherein the first and the second flexible circuits are conformable to a substantially non-planar shape.
13. (previously presented) The flex-based fuel cell of claim 12, further comprising a proton exchange membrane between said first and second flexible circuits.
14. (previously presented) The flex-based fuel cell of claim 12, further comprising a channel comprising deionized water between said first and second flexible circuits.
15. (original) The flex-based fuel cell of claim 12, wherein the substantially non-planar shape comprises a cylinder.

10006771-3

10/618.171

16. (previously presented) The flex-based fuel cell of claim 15, wherein an interior of the cylindrical flex-based fuel cell contains liquid fuel.

17. (original) The flex-based fuel cell of claim 16, wherein the liquid fuel is methanol.

18. (previously presented) The flex-based fuel cell of claim 12, further comprising a dry film adhesive disposed between the first flexible substrate and a second flexible substrate which is part of the second flexible circuit.

19-24. (cancelled)

25. (previously presented) The flex-based fuel cell of claim 12, wherein said porous layer comprises metal.

26. (previously presented) The flex-based fuel cell of claim 12, wherein said porous layer comprises a catalyst.

27. (previously presented) A fuel cell having first and second flexible circuits comprising:

a first flexible substrate comprising an anode;

a porous layer at said anode having pores for distributing fuel to said anode using capillary action;

10006771-3

10/618.171

a catalyst disposed on said porous layer; and
a second flexible substrate comprising a cathode.

28. (previously presented) The fuel cell of claim 27, further comprising a proton exchange membrane disposed between said anode and cathode.

29. (previously presented) The fuel cell of claim 27, further comprising deionized water disposed between said anode and said cathode.

30. (previously presented) The fuel cell of claim 27, wherein said first flexible substrate comprises a plurality of openings for passing fuel to said anode.

31. (previously presented) The fuel cell of claim 27, wherein said second flexible substrate comprises a plurality of openings for passing an oxidant to said cathode.

32. (previously presented) The fuel cell of claim 28, further comprising a passage for flowing recycled water from said cathode to said proton exchange membrane.

33. (previously presented) The fuel cell of claim 27, wherein said first and second flexible substrates are sealed together with an adhesive.

34. (previously presented) The fuel cell of claim 27, wherein said first and second flexible substrates are formed into a cylinder.

10006771-3

10/618,171

35. (previously presented) The fuel cell of claim 34, further comprising a fuel flow through an interior of said cylinder.

36. (previously presented) The fuel cell of claim 34, further comprising an oxidant flow on an exterior of said cylinder.

37. (previously presented) The fuel cell of claim 27, wherein said porous layer comprises a first porous layer disposed on said first flexible substrate and a second porous layer disposed on said second flexible substrate.